Ideal Work&WashStation™ 6D THEGALLEY.

IWW-6-D-QW



artered White Oak / Exclusive Gray Resin+

IWW-6-D-WA



American Black Walnut / Graphite Resin+

IWW-6-D-GT



Graphite Wood Composite / Graphite Resin+

IWW-6-D-GR



IWW-6-D-WH



Designer White Resin* / Resin+

Culinary Tools included (CKT-12)



Section[†] 12" x 19"

UD-12-I-xx





(1) Upper Tier Cutting Board 12 1/4" x 18" CB-12-U-xx



P1-12-L-xx

(1) SS Colander 11" 7.2-qt C1-11-0-ST




(1) SS Mixing Bowl 11" 7.2-qt B1-11-0-ST

[†]The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 3/4" or less, Walnut or White Oak Upper Deck sections will not have the clearance to function above the Upper Tier Culinary Tools.

Upper Deck. & citrine.

Cover set UD-6-3P-QW/WA/GT/GR/WH White Oak, Walnut, Graphite, Gray or White Resin





Included in CKT

citrine care

CIT-09-SS-C





CIT-09-WD-C Wood Condition + Protect 9 oz

CIT-04-WD-B Wood Finishing

Specifications

Double bowl Users: 1-2

Culinary/Wash Tools included: Nine

Galley Taps recommended: Two Outside dimensions: 69 1/2" x 19 1/2" x 10 5/16" Interior dimensions: 68" x 17" x 10"

Countertop cutout: 68 1/2" x 18" Basin area: 45 7/8", 21 7/8" x 16"

Minimum cabinet size: 72" or 180cm

Basin (KSO-6-D-SS)

16GA 316L stainless steel indoor/outdoor SilentArmor™ sound reduction technology Angel finish

Three tier design


Star™ groove pattern Reversible center/side drain


Drain covers included Limited Lifetime Warranty

Made in the USA

ASME A112.19.3/CSA B45.4 certified

cUPC™ certified





Customize Your Galley

Wash Tools included (WKT-4T)



(1) Upper Tier

Drying Rack 9 1/4" x 18"

DR-09-U-xx



Wash Caddy 6" x 17"

WC-06-L-xx





Wash Bowl 12" x 17"

WB-12-L-xx






(1) Upper Tier Utensil Caddy UC-06-U-xx

Recommended Basin Accessories & G4

Bottom Grate set BG-6-D-3-SS Stainless Steel



Strainer M-DRN-MSS

Disposer Strainer G-DRN-MSS Angel Finish 304 Stainless Steel



Auto Strainer A-DRN-PSS/MSS/BSS/YSS Angel Finish 304 Stainless Stor PVD Brushed Gold knob















Ideal Work&WashStation™ 6D THEGALLEY.



Tap Hole Specifications






SUGGESTED GALLEY TAP PLACEMENT GUIDE

Suggested maximum inside corner radius of countertop cutout 3/8"

① Galley Tap 1 3/8" min to 1 1/2" max hole diameter
Center Tap hole diameters 2" behind cutout
Note: Galley Hot & Cold Tap requires a minimum 8" clearance to center if installed to the right of the Galley Tap

Note: Tap Placements are for right hand or left hand drain orientation

Call 800.375.4255 or email **customercare@thegalley.com** for additional guidance on Tap and Tap Accessory placements



STAINLESS STEEL COMPLIANCE ASME A112. 19.3-2008/CSA B45.4-08

WE RESERVE THE RIGHT TO MAKE REVISIONS WITHOUT NOTICE IN THE DESIGN OF PRODUCTS OR IN PACKAGING UNLESS THIS RIGHT HAS SPECIFICALLY BEEN WAIVED AT THE TIME THE ORDER IS ACCEPTED.

DWG and DXF templates available on our website:


TheGalley.com/specification-library


Questions? For additional assistance, please contact The Galley's Customer Care Department at 800.375.4255

Ideal Work&WashStation™ 6D THEGALLEY.



Tap Hole Specifications






SUGGESTED GALLEY TAP PLACEMENT GUIDE

Suggested maximum inside corner radius of countertop cutout 3/8"

① Galley Tap 1 3/8" min to 1 1/2" max hole diameter
Center Tap hole diameters 2" behind cutout
Note: Galley Hot & Cold Tap requires a minimum 8" clearance to center if installed to the right of the Galley Tap

Note: Tap Placements are for right hand or left hand drain orientation

Call 800.375.4255 or email customercare@thegalley.com for additional guidance on Tap and Tap Accessory placements



STAINLESS STEEL COMPLIANCE ASME A112. 19.3-2008/CSA B45.4-08

WE RESERVE THE RIGHT TO MAKE REVISIONS WITHOUT NOTICE IN THE DESIGN OF PRODUCTS OR IN PACKAGING UNLESS THIS RIGHT HAS SPECIFICALLY BEEN WAIVED AT THE TIME THE ORDER IS ACCEPTED.

DWG and DXF templates available on our website:

TheGalley.com/specification-library

Questions? For additional assistance, please contact The Galley's Customer Care Department at 800.375.4255